

Artículos - 2018

- [1] C. Espinoza-Hicks, P. Montoya, R. Bautista, H. A. Jiménez-Vázquez, L. M. Rodríguez-Valdez, A. A. Camacho-Dávila, F. P. Cossío, F. Delgado, and J. Tamariz. Synthesis of exo-imidazolidin-2-one dienes, their isomerization, and selectivity in diels–alder cycloadditions. *The Journal of Organic Chemistry*, 83(10):5347–5364, 2018. URL: <https://doi.org/10.1021/acs.joc.7b02344>, doi:10.1021/acs.joc.7b02344.
- [2] M. O. Segovia-Guzmán, M. Román-Aguirre, J. Y. Verde-Gomez, V. H. Collins-Martínez, G. Zaragoza-Galán, and V. H. Ramos-Sánchez. Green Cu₂O/TiO₂ heterojunction for glycerol photoreforming. *Catalysis Today*, 2018. URL: <https://doi.org/10.1016/j.cattod.2018.05.031>, doi:10.1016/j.cattod.2018.05.031.
- [3] L. A. Soto-Salcido, G. González-Sánchez, B. A. Rocha-Gutierrez, R. Peralta-Perez, F. J. Zavala-Díaz, and L. Ballinas-Casarrubias. Preparation, characterization and performance of acetylated cellulignin membranes obtained by green methods from biomass. *Desalination*, 430:186–196, 2018. URL: <https://doi.org/10.1016/j.desal.2017.12.017>, doi:10.1016/j.desal.2017.12.017.

Artículos - 2017

- [1] S. Andrade-Ochoa, L. E. Sánchez-Torres, G. V. Nevárez-Moorillón, A. D. Camacho, and B. Noguera-Torres. Essential oils and their constituents as an alternative in the control of mosquito vectors of diseases. *Biomedica*, 37:1–57, 2017. doi:10.7705/biomedica.v34i2.3475.
- [2] M. C. E. Delgado-Gardea, P. Tamez-Guerra, R. Gomez-Flores, A. Mendieta-Mendoza, F. J. Zavala-Díaz de la Serna, J. F. Contreras-Cordero, G. Erosade la Vega, M. C. Pérez-Recoder, B. Sánchez-Ramírez, C. González-Horta, and R. Infante-Ramírez. Prevalence of rotavirus genogroup a and norovirus genogroup ii in bassaseachic falls national park surface waters in chihuahua, mexico. *International Journal of Environmental Research and Public Health*, 14(5):482, 2017. doi:10.3390/ijerph14050482.
- [3] C. I. Delgado-Nieblas, J. J. Zazueta-Morales, N. Jacobo-Valenzuela, A. Carrillo-López, E. Aguilar-Palazuelos, I. L. Camacho-Hernández, and A. Quintero-Ramos. Production of winter squash flours rich in bioactive compounds and high water absorption by means of a precooking-air-drying optimized process. *Journal of Food Processing and Preservation*, 41(2):12809, 2017. doi:10.1111/jfpp.12809.
- [4] C. Grajeda-Iglesias, E. Salas, N. Barouh, B. Baréa, and M. C. Figueroa-Espinoza. Lipophilization and MS characterization of the main anthocyanins purified from hibiscus flowers. *Food Chemistry*, 230:189–194,

2017. URL: <https://doi.org/10.1016/j.foodchem.2017.02.140>, doi: 10.1016/j.foodchem.2017.02.140.

- [5] J. M. Ochoa-Rivero, A. V. Reyes-Fierro, M. D. R. Peralta-Prez, F. J. Zavala-Díaz de la Serna, L. Ballinas-Casarrubias, I. Salmerón, H. Rubio-Arias, and B. A. Rocha-Gutiérrez. Levels and distribution of pollutants in the waters of an aquatic ecosystem in northern Mexico. *International Journal of Environmental Research and Public Health*, 14(5):456, 2017. doi:10.3390/ijerph14050456.
- [6] O. A. Palacios, C. A. Contreras, L. N. Muñoz-Castellanos, M. O. González-Rangel, H. Rubio-Arias, A. Palacios-Espinosa, and G. V. Nevárez-Moorillón. Monitoring of indicator and multidrug resistant bacteria in agricultural soils under different irrigation patterns. *Agricultural Water Management*, 184:19–27, 2017. doi:10.1016/j.agwat.2017.01.001.
- [7] O. A. Palacios, F. J. Zavala-Díaz de la Serna, M. de Lourdes Ballinas-Casarrubias, M. S. Espino-Valdés, and G. V. Nevárez-Moorillón. Microbiological impact of the use of reclaimed wastewater in recreational parks. *International Journal of Environmental Research and Public Health*, 14(9):1009, 2017. doi:10.3389/fmars.2017.00341.
- [8] M. C. Paredes-Aguilar, R. Avila-Sosa, and G. V. Nevárez-Moorillón. Modeling the inhibition of vibrio cholerae non-01 in trypticase soy broth by chitosan of low and high molecular weight. *Frontiers in Marine Science*, 4:341, 2017. doi:10.3389/fmars.2017.00341.
- [9] M. G. Ruiz-Gutierrez, C. A. Amaya-Guerra, A. Quintero-Ramos, E. Perez-Carrillo, and C. O. Melendez-Pizarro. Use of red cactus pear (*Opuntia ficus-indica*) encapsulated powder to pigment extruded cereal. *Journal of Food Quality*, page 7262464, 2017. doi:10.1155/2017/7262464.
- [10] M. A. Sánchez-Madrigal, C. A. Amaya-Guerra, A. Quintero-Ramos, J. G. Báez-González, M. A. Núñez-González, M. G. Ruiz-Gutiérrez, and J. A. Garzón-Tiznado. Ultrasound-assisted extraction of fructans from agave (*Agave tequilana* Weber var. azul) at different ultrasound powers and solid-liquid ratios. *Food Science and Technology*, 37(2):261–268, 2017. doi:10.1590/1678-457X.21116.

Artículos - 2016

- [1] J. Adame-Gallegos, S. Andrade-Ochoa, and G. Nevárez-Moorillón. Potential use of Mexican oregano essential oil against parasite, fungal and bacterial pathogens. *Journal of Essential Oil Bearing Plants*, 19(3):553–567, 2016. doi:<http://dx.doi.org/10.1080/0972060X.2015.1116413>.

- [2] J. L. Almanza-Rubio, N. Gutiérrez-Méndez, M. Y Leal-Ramos, D. Sepúlveda, and I. Salmerón. Modification of the textural and rheological properties of cream cheese using thermosonicated milk. *Journal of Food Engineering*, 168:223–230, 2016. doi:<http://dx.doi.org/10.1016/j.jfoodeng.2015.08.002>.
- [3] J. Carmona-Prado, M. Ballinas-Casarrubias, B. Rocha-Gutiérrez, M. Peralta-Pérez, and M. Valles-Aragón. Arsenic in underground water from irrigation of district 005 in chihuahua, mexico. *Toxicology Letters*, 259(10):S120, 2016. doi:<http://dx.doi.org/10.1016/j.toxlet.2016.07.309>.
- [4] D. R. Chávez-Garay, N. Gutiérrez-Méndez, M. E. Valenzuela-Soto, and A. García-Triana. Caracterización parcial de un coagulante vegetal obtenido de las bayas de solanum elaeagnifolium. *CyTA-Journal of Food*, 14(2):200–205, 2016. doi:<http://dx.doi.org/10.1080/19476337.2015.1080763>.
- [5] D. R. Chávez-Garay, N. Gutiérrez-Méndez, M. E. Valenzuela-Soto, and A. García-Triana. Partial characterization of a plant coagulant obtained from the berries of solanum elaeagnifolium. *CyTA - Journal of Food*, 14(2):200–205, 2016. doi:<http://dx.doi.org/10.1080/19476337.2015.1080763>.
- [6] T. S. Cid-Pérez, J. V. Torres-Muñoz, G. V. Nevárez-Moorillón, E. Palou, and A. López-Malo. Chemical characterization and antifungal activity of poliominta longiflora mexican oregano. *Journal of Essential Oil Bearing Plants*, 28(2):157–165, 2016. doi:<http://dx.doi.org/10.1080/10412905.2015.1083490>.
- [7] M. C. E. Delgado-Gardea, P. Tamez-Guerra, R. Gómez-Flores, F. J. Zavala Díaz de la Serna, G. Eroza-de la Vega, G. V. Nevárez-Moorillón, M. C. Pérez-Recorder, B. Sánchez-Ramírez, M. C. González-Horta, and R. Infante-Ramírez. Multidrug-resistant bacteria isolated from surface water in bassaseachic falls national park, mexico. *International Journal of Environmental Research and Public Health*, 199:14–20, 2016. doi:[10.3390/ijerph13060597](http://dx.doi.org/10.3390/ijerph13060597).
- [8] C. I. Delgado-Nieblas, J. J. Zazueta-Morales, N. J. Valenzuela, A. Carrillo-López, E. Aguilar-Palazuelos, I. L. Camacho-Hernández, and A. Quintero-Ramos. Production of winter squash flours rich in bioactive compounds and high water absorption by means of a precooking-air-drying optimized process. *Journal of Food Processing and Preservation*, pages 1–12, 2016. doi:[10.1111/jfpp.12809](http://dx.doi.org/10.1111/jfpp.12809).
- [9] Z. Drobná, X. Xu, S. V. Voruganti, K. Barron, C. González-Horta, B. Sánchez-Ramírez, L. Ballinas-Casarrubias, R. Hernández-Cerón, D. Viniegra-Morales, F. A. Baeza-Terrazas, M. C. Ishida, D. S. Gutiérrez-Torres, J. R. Saunders, J. Crandell, C. Fry, D. R. Loomis, G. G. García-Vargas, L. M. Del Razo, M. Stýblo, and A. M. Mendez. Association between

- variants in arsenic (+3 oxidation state) methyltransferase (as3mt) and urinary metabolites of inorganic arsenic: role of exposure level. *Toxicological Sciences*, 153(1):112–123, 2016. doi:<https://doi.org/10.1093/toxsci/kfw112>.
- [10] J. C. Espinoza-Hicks, J. M. Nápoles-Duarte, G. V. Nevárez-Moorillón., A. Camacho-Dávila, and L. M. Rodríguez-Valdez. Synthesis, electronic, and spectral properties of novel geranylated chalcone derivatives: a theoretical and experimental study. *Journal of Molecular Modeling*, 253(22):1–13, 2016. doi:10.1007/s00894-016-3114-x.
- [11] E. A. Espinoza-Sánchez, J. A. Torres-Castillo, Q. Rascón-Cruz, F. Zavala-García, and S. R. Sinagawa-García. Production and characterization of fungal β -glucosidase and bacterial cellulases by tobacco chloroplast transformation. *Plant Biotechnology Reports*, 10(2):61–73, 2016. doi:10.1007/s11816-016-0386-7.
- [12] M. A. García-Eleno, M. Miriel-Quezada, R. Reyes-Martínez, S. Hernández-Ortega, and D. Morales-Morales. A comparative study of the packing of two polymorphs of the nickel(ii) pincer complex [2,6-bis(di-tert-butylphosphinoyl)-4-(3,5-dinitrobenzoyloxy)phenyl- κ^3 p,c1,p]chloridonickel(ii). *Acta Crystallographica Section C*, C72:393–397, 2016. doi:<https://doi.org/10.1107/S2053229616005143>.
- [13] H. A. García-Ramírez, C. González-Horta, R. Infante-Ramírez, P. Talamás-Rohana, and B. Sánchez-Ramírez. In vitro amoebicidal activity of the fruits and stems extracts of rhus trilobata on entamoeba histolytica trophozoites. *Toxicology Letters*, 259(10):S194, 2016. doi:10.1016/j.toxlet.2016.07.463.
- [14] H. A. García-Ramírez, C. González-Horta, R. Infante-Ramírez, P. Talamás-Rohana, and B. Sánchez-Ramírez. In vitro amoebicidal activity of the fruits and stems extracts of rhus trilobata on entamoeba histolytica trophozoites. *Toxicology Letters*, 259(10):S194, 2016. doi:10.1016/j.toxlet.2016.07.463.
- [15] A. García-Triana, A. B. Peregrino-Uriarte, and G. Yepiz-Plascencia. Selenoprotein m. gene expression peroxidases activity and hydrogen peroxide concentration are differentially regulated in gill and hepatopancreas of the white shrimp litopenaeus vannamei during hypoxia and reoxygenation. *Comparative biochemistry and physiology A - Molecular and integrative physiology*, 199:14–20, 2016. doi:<http://dx.doi.org/10.1016/j.cbpa.2016.04.019>.
- [16] C. Grajeda-Iglesias, M. C. Figueroa-Espinoza, N. Barouh, B. Baréa, A. Fernandes, V. de Freitas, and E. Salas. Isolation and characterization of anthocyanins from hibiscus sabdariffa flowers. *Journal of Natural Products*, 79(7):1709–1718, 2016. URL: <https://doi.org/10.1021/acs.jnatprod.5b00958>, doi:10.1021/acs.jnatprod.5b00958.

- [17] C. Grajeda-Iglesias, E. Salas, N. Barouh, B. Baréa, A. Panya, and M. C. Figueroa-Espinoza. Antioxidant activity of protocatechuates evaluated by DPPH, ORAC, and CAT methods. *Food Chemistry*, 194:749–757, 2016. URL: <https://doi.org/10.1016/j.foodchem.2015.07.119>, doi: 10.1016/j.foodchem.2015.07.119.
- [18] F. Guerrero-Salgado, A. J. Rodríguez-Castillo, R. Infante-Ramírez, M. C. González-Horta, P. Talamás-Rohana, and B. Sánchez-Ramírez. Anti-inflammatory effect of rhus trilobata extracts in lipopolysaccharides-stimulated j774 macrophages. *Toxicology Letters*, 259(10):S194, 2016. doi:10.1016/j.toxlet.2016.07.462.
- [19] J. J. Guzmán-Mendoza, S. L. Montes-Fonseca, E. Ramos-Martínez, E. Orrantia-Borunda, M. C. González-Horta, and B. Sánchez-Ramírez. Comparative toxicity of multi-walled carbon nanotubes in balb/c mice after an intravenous injection. *Toxicology Letters*, 259(10):S188, 2016. doi:10.1016/j.toxlet.2016.07.448.
- [20] L. E. Híjar-Soto, C. González-Horta, D. Chávez-Flores, and B. Sánchez-Ramírez. Apoptotic and cytotoxic effect of bioactive fractions of rhus trilobata on colon cancer cells caco-2. *Toxicology Letters*, 259(10):S193–S194, 2016. doi:<http://dx.doi.org/10.1016/j.toxlet.2016.07.461>.
- [21] B. Iglesias-Figueroa, N. Valdiviezo-Godina, T. Siqueiros-Cendón, S. Sinagawa-García, S. Arévalo-Gallegos, and Q. Rascón-Cruz. High-level expression of recombinant bovine lactoferrin in pichia pastoris with antimicrobial activity. *International Journal of Molecular Sciences*, 17(6):1–11, 2016. doi:<https://dx.doi.org/10.3390/ijms17060902>.
- [22] B. Iglesias-Figueroa, N. Valdiviezo-Godina, T. Siquieros-Cendón, S. Sinagawa-García, S. Arévalo-Gallegos, and Q. Rascón-Cruz. High-level expression of recombinant bovine lactoferrin in pichia pastoris with antimicrobial activity. *International Journal of Molecular Sciences*, 17(6):1–11, 2016. doi:10.3390/ijms17060902.
- [23] J. Leyva-Corral, A. Quintero-Ramos, A. Camacho-Dávila, J. J. Zazueta-Morales, E. Aguilar-Palazuelos, M. G. Ruiz-Gutiérrez, C. O. Meléndez-Pizarro, and T. J. Ruiz-Anchondo. Polyphenolic compound stability and antioxidant capacity of apple pomace in an extruded cereal. *LWT-Food Science and Technology*, 65:228–236, 2016. doi:<http://dx.doi.org/10.1016/j.lwt.2015.07.073>.
- [24] M. A. Méndez, C. González-Horta, B. Sánchez-Ramírez, L. Ballinas-Casarrubias, R. Hernández-Cerón, D. Viniegra-Morales, F. Baeza-Terrazas, M. C. Ishida, D. Gutiérrez-Torres, R. J. Saunders, Z. Drobná, R. Fry, J. Buse, G. G. García-Vargas, L. M. Del Razo, X. Xu, and M. Stýblo. Arsenic exposure and cardiometabolic risk in chihuahua, mexico. *Toxicology Letters*, 259(10):S32–S33, 2016. doi:10.1016/j.toxlet.2016.07.653.

- [25] M. A. Méndez, C. González-Horta, B. Sánchez-Ramírez, L. Ballinas-Casarrubias, R. Hernández-Cerón, D. Viniegra-Morales, F. A. Baeza-Terrazas, M. C. Ishida, D. S. Gutiérrez-Torres, J. R. Saunders, Z. Drobná, C. R. Fry, B. J. Buse, D. Loomis, G. García-Vargas, L. M. Del Razo, and M. Stýblo. Chronic exposure to arsenic and markers of cardiometabolic risk: A cross-sectional study in chihuahua, mexico. *Environmental Health Perspectives*, 124(1):104–111, 2016. doi:10.1289/ehp.1408742.
- [26] A. I. Morales-Estrada, A. López-Merino, N. Gutiérrez-Méndez, E. A. Ruiz, and A. Contreras-Rodríguez. Partial characterization of bacteriocin produced by halotolerant pediococcus acidilactici strain qc38 isolated from traditional cotija cheese. *Polish Journal of Microbiology*, 65(3):279–285, 2016.
- [27] S. S. Mortazavi, D. Chávez-Flores, and J. M. Salvador. Isomerase activity of candida rugosa lipase in the optimized conversion of racemic ibuprofen to (s)-ibuprofen. *Biotechnology and Bioprocess Engineering*, 21(5):634–640, 2016. doi:10.1007/s12257-016-0231-4.
- [28] O. A. Palacios, C. A. Contreras, L. N. Muñoz-Castellanos, M. O. González-Rangel, H. Rubio-Arias, A. Palacios-Espinoza, and G. V. Nevarez-Moorillón. Monitoring of indicator and multidrug resistant bacteria in agricultural soils under different irrigation patterns. *Agricultural Water Management*, 184:19–27, 2016. doi:http://dx.doi.org/10.1016/j.agwat.2017.01.001.
- [29] L. E. Robles-Ozuna, L. A. Ochoa-Martínez, J. Morales-Castro, J. A. Gallegos-Infante, A. Quintero-Ramos, and T. J. Madera-Santana. Efecto de las condiciones de nixtamalizacin asistida con ultrasonido sobre algunas caractersticas fisicoquímicas, estructurales y de calidad en maz usado para pozole. *CyTA-Journal of Food*, 14(2):324–332, 2016. doi:http://dx.doi.org/10.1080/19476337.2015.1110201.
- [30] W. Y. Rocha-Gutiérrez, B. A. and Lee and W. W. Shane. Mass balance and mass loading of polybrominated diphenyl ethers (pbdes) in a tertiary wastewater treatment plant using sbse-td-gc/ms. *Water Science and Technology*, 73(2):302–308, 2016. doi:10.2166/wst.2015.492.
- [31] I. S. Rodríguez-Reyna, L. Varela-Rodríguez, P. Hernández-Rodríguez, E. Ramos-Martínez, C. González-Horta, P. Talamás-Rohana, and B. Sánchez-Ramírez. Acute toxicity evaluation of rhus trilobata stems extract in balb/c mice. *Toxicology Letters*, 259(10):S193, 2016. doi:10.1016/j.toxlet.2016.07.460.
- [32] M. A. Valadez-Bustos, G. A. Aguado-Santacruz, A. Tiessen-Favier, A. and Robledo-Paz, A. Muñoz-Orozco, Q. Rascón-Cruz, and A. Santacruz-Varela. A reliable method for spectrophotometric determination of glycine betaine in cell suspension and other systems. *Analytical biochemistry*, 498:47–52, 2016. doi:10.1016/j.ab.2015.12.015.

- [33] L. Varela-Rodríguez, I. S. Rodríguez-Reyna, B. Sánchez-Ramírez, E. Ramos-Martínez, C. González-Horta, and P. Talamás-Rohana. Subacute toxicity determination of intraperitoneal treatment of balb/c mice with rhus trilobata. *Toxicology Letters*, 259(10):S195, 2016. doi:<http://dx.doi.org/10.1016/j.toxlet.2016.07.465>.
- [34] X. Xu, Z. Drobná, V. S. Vóruganti, K. Barron, C. González-Horta, B. Sánchez-Ramírez, L. Ballinas-Casarrubias, R. Cerón-Hernández, D. Morales-Viniegra, F. A. Baeza-Terrazas, M. C. Ishida, D. S. Gutiérrez-Torres, R. J. Saunders, J. Crandell, R. C. Fry, D. Loomis, G. G. García-Vargas, L. M. Del Razo, M. Stýblo, and M. A. Mendez. Association between variants in arsenic (+ 3 oxidation state) methyltransferase (as3mt) and urinary metabolites of inorganic arsenic: Role of exposure level. *Toxicological Sciences*, 153(1):112–123, 2016. doi:<https://doi.org/10.1093/toxsci/kfw112>.
- [35] X. Xu, M. A. Mendez, M. C. González-Horta, B. Sánchez-Ramírez, L. Ballinas-Casarrubias, R. Hernández-Cerón, D. Viniegra-Morales, F. Baeza-Terrazas, M. C. Ishida, D. S. Gutiérrez-Torres, Z. Drobná, J. Buse, D. Loomis, I. M. Del Razo, and M. Stýblo. Arsenic exposure and impaired glucose homeostasis: Adequate vs elevated folate intake. *The FASEB Journal*, 30(1):lb262–lb262, 2016.

Artículos - 2015

- [1] A. Aceves-Cano, E. Gaytán-Ochoa, R. Ramos-Martínez, G. Erosa de la Vega, C. González-Horta, P. Talamás-Rohana, and B. Sánchez-Ramírez. Morphological findings in trophozoites during amoebic abscess development in misorpostol treated balb/c mice. *Bio Med Research International*, 2015:1–7, 2015. doi:<http://dx.doi.org/10.1155/2015/898467>.
- [2] F. Almeida-Trasviña, S. Medina-González, E. Ortega-Rivas, I. Salmerón-Ochoa, and S. Pérez-Vega. Vacuum drying optimization and simulation as a preservation method of antioxidants in apple pomace. *Journal of Food Process Engineering*, 37(6):575–587, 2015. doi:10.1111/jfpe.12112.
- [3] C. Alvarez-Herrera, J. G. Murillo-Ramírez, I. Pérez-Reyes, and D. Moreno-Hernández. Proper orthogonal decomposition applied to laminar thermal convection in a vertical two plate channel. *Journal of Optics*, 17(6):065602, 2015. doi:<http://dx.doi.org/10.1088/2040-8978/17/6/065602>.
- [4] V. Alzari, G. Zaragoza-Galán, D. Nuvoli, J. Illescas, E. Rivera, V. Sanna, E. Conca, and A. Mariani. Preparation and interaction study between fullerene and graphene in a polymeric matrix. *Composites Science and Technology*, 110(6):217–223, 2015. doi:<http://dx.doi.org/10.1016/j.compscitech.2015.02.011>.

- [5] S. Andrade-Ochoa, G. V. Nevárez-Moorillón, L. E. Sánchez-Torres, Villanueva-García M., B. E. Sánchez-Ramírez, L. M. Rodríguez-Valdéz, and B. E. Rivera-Chavira. Quantitative structure-activity relationship of molecules constituents of different essential oils with antimycobacterial activity against mycobacterium tuberculosis and mycobacterium bovis. *BMC Complementary and Alternative Medicine*, 15(332):2–11, 2015. doi:10.1186/s12906-015-0858-2.
- [6] R. Avila-Sosa Sánchez, M. C. PortilloRuiz, S. ViramontesRamos, L. N. MuñozCastellanos, and G. V. NevárezMoorillón. Effect of mexican oregano (*lippia berlandieri schauer*) essential oil fractions on the growth of *aspergillus* spp. in a bread model system. *Journal of Food Processing and Preservation*, 39(6):776–783, 2015. doi:10.1111/jfpp.12287.
- [7] L. Ballinas-Casarrubias, T. Saucedo-Acosta, K. MacDonald-Pizaña, K. Ruiz-Cuilty, G. V. Nevárez-Moorillón, N. Gutiérrez-Méndez, C. Torras-Font, D. Chávez-Flores, and G. González-Sánchez. Organosolv pretreatment for cellulose recovery from sawdust for its ulterior use in membrane synthesis and operation. desalination and water treatment. *Desalination and Water Treatment*, 56(13):3626–3639, 2015. doi:10.1080/19443994.2014.995720.
- [8] R. Bautista-Reyes, Soto-Figueroa. C, and L. Vicente. Mesoscopic simulation of self-assembly of linear and dendritic copolymer poly(styrene)-bpoly(ethyleneglycol) in polar and non-polar solvents. *Molecular Simulation*, 41(8):663–673, 2015. doi:http://dx.doi.org/10.1080/08927022.2014.913100.
- [9] A. A. Camacho-Dávila, D. Chávez-Flores, G. Zaragoza-Galán, and V. H. Ramos-Sánchez. A sustainable synthesis of the naturally hypolipidemic agent α -asarone. *Synthetic Communications*, 45(14):1669–1674, 2015. doi:http://dx.doi.org/10.1080/00397911.2015.1041047.
- [10] D. Carbajal-Ida, C. Maury, E. Salas, R. Siret, and E. Mehinagic. Physicochemical properties of botrytised chenin blanc grapes to assess the extent of noble rot. *European Food Research and Technology*, 242(1):117–126, 2015. URL: https://doi.org/10.1007/s00217-015-2523-x, doi:10.1007/s00217-015-2523-x.
- [11] W. M. Chávez-Montes, G. González-Sánchez, E. I. López-Martínez, P. de Lira-Gómez, L. Ballinas-Casarrubias, and S. Flores-Gallardo. Effect of artificial weathering on pla/nanocomposite molecular weight distribution. *Polymers*, 7(4):760–776, 2015. doi:http://dx.doi.org/10.3390/polym7040760.
- [12] C. A. Enríquez-Núñez, A. A. Camacho-Dávila, V. H. Ramos-Sánchez, G. Zaragoza-Galán, L. Ballinas-Casarrubias, and D. Chávez-Flores.

- Chemoenzymatic kinetic resolution of (R)-malathion in aqueous media. *Chemistry Central Journal*, 9(1):1–9, 2015. doi:10.1186/s13065-015-0119-y.
- [13] E. A. Espinoza-Sánchez, M. H. Álvarez-Hernández, J. A. Torres-Castillo, Q. Rascón-Cruz, A. Gutiérrez-Díez, F. Zavala-García, and S. R. Sinagawa-García. Stable expression and characterization of a fungal pectinase and bacterial peroxidase genes in tobacco chloroplast. *Electronic Journal of Biotechnology*, 18(3):161–168, 2015. doi:http://dx.doi.org/10.1016/j.ejbt.2015.03.002.
- [14] C. González-Horta, L. Ballinas-Casarrubias, B. Sánchez-Ramírez, M. C. Ishida, A. Barrera-Hernández, D. Gutiérrez-Torres, O. L. Zacarias, R.J. Saunders, Z. Drobná, M. A. Méndez, G. García-Vargas, D. Loomis, M. Stýblo, and L. M. Del Razo. A concurrent exposure to arsenic and fluoride from drinking water in chihuahua, mexico. *International Journal of Environmental Research and Public Health*, 12(5):4587–4601, 2015. doi:10.3390/ijerph120504587.
- [15] J. C. Guevara-Arauza, D. G. Bárcenas, E. Ortega-Rivas, J. D. P. Martínez, J. R. Hernández, and J. de Jesús Ornelas-Paz. Effect of fiber fractions of prickly pear cactus (nopal) on quality and sensory properties of wheat bread rolls. *Journal of Food Science and Technology*, 52(5):2990–2997, 2015. doi:10.1007/s13197-014-1341-7.
- [16] D. S. Gutiérrez-Torres, C. González-Horta, L. M. Del Razo, R. Infante-Ramírez, E. Ramos-Martínez, M. Levario-Carrillo, and B. Sánchez-Ramírez. Prenatal exposure to sodium arsenite alters placental glucose 1, 3, and 4 transporters in balb/c mice. *BioMed Research International*, 175025:9, 2015. doi:http://dx.doi.org/10.1155/2015/175025.
- [17] E. Juárez-Enriquez, I. Salmeron-Ochoa, N. Gutierrez-Mendez, H. S. Ramaswamy, and E. Ortega-Rivas. Shelf life studies on apple juice pasteurised by ultrahigh hydrostatic pressure. *LWT-Food Science and Technology*, 62(1):915–919, 2015. doi:http://dx.doi.org/10.1016/j.lwt.2014.07.041.
- [18] G. López-Frías, A. A. Camacho-Dávila, D. Chávez-Flores, G. Zaragoza-Galán, and V. H. Ramos-Sánchez. Synthesis of a functionalized benzofuran as a synthon for salvianolic acid c analogues as potential ldl antioxidants. *Molecules*, 20(5):8654–8665, 2015. doi:10.3390/molecules20058654.
- [19] E. Martin, C. González-Horta, J. Rager, K. A. Bailey, B. Sánchez-Ramírez, L. Ballinas-Casarrubias, M. C. Ishida, D. S. Gutiérrez-Torres, R. Hernández-Cerón, D. Viniegra-Morales, F. A. Baeza-Terrazas, R. J. Saunders, Z. Drobná, M. A. Mendes, J. B. Buse, D. Loomis, W. Jia, G. G. García-Vargas, L. M. Del Razo, M. Stýblo, and R. Fry. Metabolomic characteristics of arsenic-associated diabetes in a prospective cohort in chi-

- huahua, mexico. *Toxicological Sciences*, 144(2):338–346, 2015. doi:<https://doi.org/10.1093/toxsci/kfu318>.
- [20] G. Méndez-Zamora, J. A. García-Macías, E. Santellano-Estrada, A. Chávez-Martínez, L. A. Durán-Meléndez, R. Silva-Vázquez, and A. Quintero-Ramos. Fat reduction in the formulation of frankfurter sausages using inulin and pectin. *Food Science and Technology (Campinas)*, 35(1):25–31, 2015. doi:[org/10.1590/1678-457X.6417](https://doi.org/10.1590/1678-457X.6417).
- [21] S. L. Montes-Fonseca, B. Sánchez-Ramírez, A. Luna-Velasco, C. Arzate-Quintana, M. B. Silva-Cazares, C. González-Horta, and E. Orrantia-Borunda. Cytotoxicity of protein-carbon nanotubes on j774 macrophages is a functionalization grade-dependent effect. *BioMed Research International*, 2015:1–8, 2015. doi:<http://dx.doi.org/10.1155/2015/796456>.
- [22] L. E. Moreno-Castro, A. Quintero-Ramos, M. G. Ruiz-Gutiérrez, M. A. Sánchez-Madrigal, C. O. Meléndez-Pizarro, I. Pérez-Reyes, and D. Lardizábal-Gutiérrez. Nixtamalization assisted with ultrasound: effect on mass transfer and physicochemical properties of nixtamal, masa and tortilla. *Revista Mexicana de Ingeniería Química*, 14(2):265–279, 2015.
- [23] J. M. Nápoles-Duarte, M. A. Chavez-Rojo, M. E. Fuentes-Montero, L. M. Rodríguez-Valdez, R. García-Llamas, and J. A. Gaspar-Armenta. Surface plasmon resonances in drude metal cylinders: radius dependence and quality factor. *Journal of Optics*, 17(6):06500, 2015. doi:<http://dx.doi.org/10.1088/2040-8978/17/6/065003>.
- [24] M. Oliveira, J. and Alinho da Silva, N. Teixeira, V. De Freitas, and E. Salas. Screening of anthocyanins and anthocyanin-derived pigments in red wine grape pomace using lc-dad/ms and maldi-tof techniques. *Journal of Agricultural and Food Chemistry*, 63:7636–7644, 2015. doi:[10.1021/acs.jafc.5b00256](https://doi.org/10.1021/acs.jafc.5b00256).
- [25] J. Ortiz-Palacios, E. Rodríguez-Alba, G. Zaragoza-Galán, J. R. León-Carmona, A. Martínez, and E. Rivera. Incorporation of novel azobenzene dyes bearing oligo (ethylene glycol) spacers into first generation dendrimers. *Dyes and Pigments*, 116:1–12, 2015. doi:[10.1016/j.dyepig.2014.11.023](https://doi.org/10.1016/j.dyepig.2014.11.023).
- [26] A. J. Pardo-Rueda, A. Quintero-Ramos, D. B. Genovese, A. Camacho-Dávila, A. Zepeda-Rodríguez, J. C. Contreras-Esquivel, and P. Bizarro. Efficient extraction of fructans from sotol plant (*dasyliion leiophyllum*) enhanced by a combination of enzymatic and sonothermal treatments. *Food and Bioproducts Processing*, 94:398–404, 2015. doi:[10.1016/j.fbp.2014.05.005](https://doi.org/10.1016/j.fbp.2014.05.005).
- [27] J. E. Rager, S. K. Tilley, S. E. Tulenko, L. Smeester, P. D. Ray, A. Yosim, J. M. Currier, M. C. Ishida, M. C. González-Horta, Z. Sánchez-Ramírez, B. and Ballinas-Casarrubias, L. and Gutiérrez-Torres, D. S. and Drobná,

- L. M. Del Razo, G. G. García-Vargas, W. Y. Kim, Y. Zhou, F. A. Wright, M. Stýblo, and R. C. Fry. Identification of novel gene targets and putative regulators of arsenic-associated dna methylation in human urothelial cells and bladder cancer. *Chemical Research in Toxicology*, 28(6):1144–1155, 2015. doi:10.1021/tx500393y.
- [28] V. H. Ramos-Sanchez, R. Jeans, R. H. Elder, G. Zaragoza-Galán, and R. Devonshire. A unique approach to the vapour phase of the hi x feed of the sulfur iodine thermochemical cycle: A raman spectroscopy study. *International Journal of Hydrogen Energy*, 40(4):1657–1664, 2015. doi:http://dx.doi.org/10.1016/j.ijhydene.2014.11.116.
- [29] P. Reyes-Chaparro, N. Gutiérrez-Méndez, E. Salas-Muñoz, J. G. Ayala-Soto, D. Chavez-Flores, and L. Hernández-Ochoa. Effect of the addition of essential oils and functional extracts of clove on physicochemical properties of chitosan-based films. *International Journal of Polymer Science*, 2015(714254):6, 2015. doi:http://dx.doi.org/10.1155/2015/714254.
- [30] M. M. Rodríguez, R. H. Mascheroni, and A. Quintero-Ramos. Mathematical modeling of hot-air drying of osmo-dehydrated nectarines. *International Journal of Food Engineering*, 11(4):533–545, 2015. doi:https://doi.org/10.1515/ijfe-2014-0329.
- [31] M. G. Ruiz-Gutiérrez, C. A. Amaya-Guerra, A. Quintero-Ramos, E. Pérez-Carrillo, T. D. J. Ruiz-Anchondo, J. G. Báez-González, and C. O. Meléndez-Pizarro. Effect of extrusion cooking on bioactive compounds in encapsulated red cactus pear powder. *Molecules*, 20(5):8875–8892, 2015. doi:10.3390/molecules20058875.
- [32] J. Salazar-Martínez, C. H. Rivera-Figueroa, S. Arévalo-Gallegos, A. Guevara-Escobar, G. Malda-Barrera, and Q. Rascón-Cruz. Calidad del nixtamal y su relacin y su relacin con el ambiente de cultivo de maz. *Revista Fitotecnía Mexicana*, 38(1):67–73, 2015.
- [33] I. Salmerón, S. Loeza-Lozano, S. Pérez-Vega, and S. S. Pandeilla. Headspace gas chromatoghaphy (hs-gc) analysis of imperative flavor compounds in lactobacilli-fermented barley and malt substrates. *Food Science and Biotechnology*, 24(4):1363–1371, 2015. doi:10.1007/s10068-015-0175-z.
- [34] I. Salmerón, K. Thomas, and S. S. Pandiella. Effect of potentially probiotic lactic acid bacteria on the physicochemical composition and acceptance of fermented cereal beverages. *Journal of Functional Foods*, 15:106–115, 2015. doi:http://dx.doi.org/10.1016/j.jff.2015.03.012.
- [35] D. Sánchez-Aldana, S. Andrade-Ochoa, C. N. Aguilar, J. C. Contreras-Esquivel, and G.V. Nevárez-Moorillón. Antibacterial activity of pectic-based edible films incorporated with mexican lime essential oil. *Food Control*, 50:907–912, 2015. doi:10.1016/j.foodcont.2014.10.044.

- [36] D. Sánchez-Aldana, J. C. Contreras-Esquivel, G. V. Nevárez-Moorillón, and C. N. Aguilar. Caracterización de películas comestibles a base de extractos pectínicos y aceite esencial de limón mexicano. *CYTA Journal of Food*, 13(1):17–25, 2015. doi:[10.1080/19476337.2014.904929](https://doi.org/10.1080/19476337.2014.904929).
- [37] N. A. Sánchez-Bojorge, L. M. Rodríguez-Valdez, I. García-Cruz, and N. Flores-Holguín. Unexpected electron acceptor behavior of the 1, 3, 4-thiadiazole oligomer, a dft study. *Computational and Theoretical Chemistry*, 1068:109–116, 2015. doi:<http://dx.doi.org/10.1016/j.comptc.2015.06.024>.
- [38] N. A. Sánchez-Bojorge, L. M. Rodríguez-Valdez, D. Glossman-Mitnik, and N. Flores-Holguín. Theoretical calculation of the maximum absorption wavelength for cyanidin molecules with several methodologies. *Computational and Theoretical Chemistry*, 1067:129–134, 2015. doi:[10.1016/j.comptc.2015.06.002](https://doi.org/10.1016/j.comptc.2015.06.002).
- [39] M. A. Sánchez-Madrigal, A. Quintero-Ramos, F. Martínez-Bustos, C. O. Meléndez-Pizarro, M. G. Ruiz-Gutiérrez, A. Camacho-Dávila, P. I. Torres-Chávez, and B. Ramírez-Wong. Effect of different calcium sources on the bioactive compounds stability of extruded and nixtamalized blue maize flours. *Journal of Food Science and Technology*, 52(5):2701–2710, 2015. doi:[10.1007/s13197-014-1307-9](https://doi.org/10.1007/s13197-014-1307-9).
- [40] S. Soto, B. K. Salvá, N. Gutiérrez-Méndez, I. Caro, and J. M. Oyague. Compuestos volátiles en carne de alpaca (vicuña pacos). comparación entre carne con y sin el olor atípico atribuido al consumo de arbustos tolares. *Interciencia*, 40(1):38–43, 2015.
- [41] R. Villalobos-Rodríguez, K. Ruiz Cuitly, M. E. Montero Cabrera, H. E. Esparza Ponce, G. V. Nevárez-Moorillón, V. Fierro, A. Celzard, and M. L. Ballinas-Casarrubias. Iron influence on uranium removal from water using cellulose acetate membranes doped with activated carbon, 56: 3476-3485. *Desalination and Water Treatment*, 56(13):3476–3485, 2015. doi:<http://dx.doi.org/10.1080/19443994.2014.980333>.
- [42] J. E. Wong-Paz, J.C. Contreras-Esquivel, R. Rodríguez-Herrera, M. L. Carrillo-Inungaray, L. I. López, G. V. Nevárez-Moorillón, and C. N. Aguilar. Total phenolic content, in vitro antioxidant activity and chemical composition of plant extracts from semiarid mexican region. *Asian Pacific Journal of Tropical Medicine*, 8(2):104–111, 2015. doi:[10.1016/S1995-7645\(14\)60299-6](https://doi.org/10.1016/S1995-7645(14)60299-6).