

Artículos - 2018 - Química

- [1] C. Espinoza-Hicks, P. Montoya, R. Bautista, H. A. Jiménez-Vázquez, L. M. Rodríguez-Valdez, A. A. Camacho-Dávila, F. P. Cossío, F. Delgado, and J. Tamariz. Synthesis of exo-imidazolidin-2-one dienes, their isomerization, and selectivity in diels–alder cycloadditions. *The Journal of Organic Chemistry*, 83(10):5347–5364, 2018. URL: <https://doi.org/10.1021/acs.joc.7b02344>, doi:10.1021/acs.joc.7b02344.
- [2] M. O. Segovia-Guzmán, M. Román-Aguirre, J. Y. Verde-Gomez, V. H. Collins-Martínez, G. Zaragoza-Galán, and V. H. Ramos-Sánchez. Green Cu₂O/TiO₂ heterojunction for glycerol photoreforming. *Catalysis Today*, 2018. URL: <https://doi.org/10.1016/j.cattod.2018.05.031>, doi:10.1016/j.cattod.2018.05.031.
- [3] L. A. Soto-Salcido, G. González-Sánchez, B. A. Rocha-Gutierrez, R. Peralta-Perez, F. J. Zavala-Díaz, and L. Ballinas-Casarrubias. Preparation, characterization and performance of acetylated cellulignin membranes obtained by green methods from biomass. *Desalination*, 430:186–196, 2018. URL: <https://doi.org/10.1016/j.desal.2017.12.017>, doi:10.1016/j.desal.2017.12.017.

Artículos - 2017 - Química

- [1] S. Andrade-Ochoa, J. García-Machorro, M. Bello, L. M. Rodríguez-Valdez, C. A. Flores-Sandoval, and J. Correa-Basurto. QSAR, DFT and molecular modeling studies of peptides from HIV-1 to describe their recognition properties by MHC-i. *Journal of Biomolecular Structure and Dynamics*, pages 1–19, 2017. doi:10.1080/07391102.2017.1352538.
- [2] R. E. Orozco-Mena, S. F. Parker, E. F. Herrera-Peraza, D. Chávez-Flores, H. Romero-Paredes, and V. H. Ramos-Sánchez. Raman and inelastic neutron scattering spectra of (NH₄)₂SO₃, an intermediate for solar hydrogen production. *International Journal of Hydrogen Energy*, 42(51):30216–30222, 2017. doi:10.1016/j.ijhydene.2017.10.094.
- [3] J. Ortiz-Palacios, G. Zaragoza-Galán, E. Aguilar-Ortíz, E. Rodríguez-Alba, and E. Rivera. Synthesis, characterization and optical properties of novel dendronized azo-dyes containing a fullerene C₆₀ unit and well-defined oligo(ethylene glycol) segments. *RSC Advances*, 7:16751, 2017. doi:10.1039/c7ra00413c.
- [4] E. Rodríguez-Clemente, J. G. González-Rodríguez, M. G. Valladarez-Cisneros, J. G. Chacón-Nava, J. P. Flores-De los Ríos, and L. M. Rodríguez-Valdez. Experimental and theoretical evaluation of allicin as corrosion inhibitor for carbon steel in sulfuric acid. *Journal of Materials and Environmental Sciences*, 8(11):3817–3833, 2017.

- [5] N. A. Sánchez-Bojorge, S. Flores-Armendáriz, M. E. Fuentes-Montero, V. H. Ramos-Sánchez, G. Zaragoza-Galán, and L. M. Rodríguez-Valdez. Theoretical and experimental analysis of porphyrin derivatives with suitable anchoring groups for dssc applications. *Journal of Porphyrins and Phthalocyanines*, 21:88, 2017. doi:10.1142/S1088424617500109.
- [6] J. D. Valenzuela-Sau, R. Munguía-Arvayo, S. Gastélum-Acuña, J. Gaspar-Armenta, J. Nápoles-Duarte, and R. García-Llamas. Scattering of a gaussian beam from a row of cylinders with rectangular cross section. *Journal of the Optical Society of America A*, 34(81):1369, 2017. doi:10.1364/josaa.34.001369.

Artículos - 2016 - Química

- [1] A. I. Casas Hidalgo, R. Román Aguirre, E. Valenzuela, J. Y. Verde Gomez, A. Camacho Dávila, R. S. Varma, and V. H. Ramos Sánchez. Sustainable application of pecan nutshell waste: Greener synthesis of pd-based nanocatalysts for electro-oxidation of methanol. *International Journal of Hydrogen Energy*, 41(48):23329–23335, 2016. doi:10.1016/j.ijhydene.2016.07.275.
- [2] J. C. Espinoza-Hicks, J. M. Nápoles-Duarte, G. V. Nevárez-Moorillón., A. Camacho-Dávila, and L. M. Rodríguez-Valdez. Synthesis, electronic, and spectral properties of novel geranylated chalcone derivatives: a theoretical and experimental study. *Journal of Molecular Modeling*, 253(22):1–13, 2016. doi:10.1007/s00894-016-3114-x.
- [3] M. A. García-Eleno, M. Miriel-Quezada, R. Reyes-Martínez, S. Hernández-Ortega, and D. Morales-Morales. A comparative study of the packing of two polymorphs of the nickel(ii) pincer complex [2,6-bis(di-tert-butylphosphino)l-4-(3,5-dinitrobenzoyloxy)phenyl-κ3p,c1,p]chloridonickel(ii). *Acta Crystallographica Section C*, C72:393–397, 2016. doi:10.1107/S2053229616005143.
- [4] L. L. Landeros-Martínez, D. Chavez-Flores, E. Orrantia-Borunda, and N. Flores-Holguin. Construction of a nanodiamond–tamoxifen complex as a breast cancer drug delivery vehicle. *Journal of Nanomaterials*, 2016:1–9, 2016. doi:10.1155/2016/2682105.
- [5] L. L. Landeros-Martínez, D. Chavez-Flores, E. Orrantia-Borunda, and N. Flores-Holguin. Construction of a nanodiamond–tamoxifen complex as a breast cancer drug delivery vehicle. *Journal of Nanomaterials*, 2016:1–9, 2016. doi:10.1155/2016/2682105.
- [6] S. S. Mortazavi, D. Chávez-Flores, and J. M. Salvador. Isomerase activity of candida rugosa lipase in the optimized conversion of racemic ibuprofen to (s)-ibuprofen. *Biotechnology and Bioprocess Engineering*, 21(5):634–640, 2016. doi:10.1007/s12257-016-0231-4.

Artículos - 2015 - Química

- [1] V. Alzari, G. Zaragoza-Galán, D. Nuvoli, J. Illescas, E. Rivera, V. Sanna, E. Conca, and A. Mariani. Preparation and interaction study between fullerene and graphene in a polymeric matrix. *Composites Science and Technology*, 110(6):217–223, 2015. doi:10.1016/j.compscitech.2015.02.011.
- [2] R. Bautista-Reyes, Soto-Figueroa. C, and L. Vicente. Mesoscopic simulation of self-assembly of linear and dendritic copolymer poly(styrene)-bpoly(ethyleneglycol) in polar and non-polar solvents. *Molecular Simulation*, 41(8):663–673, 2015. doi:10.1080/08927022.2014.913100.
- [3] A. A. Camacho-Dávila, D. Chávez-Flores, G. Zaragoza-Galán, and V. H. Ramos-Sánchez. A sustainable synthesis of the naturally hypolipidemic agent α -asarone. *Synthetic Communications*, 45(14):1669–1674, 2015. doi:10.1080/00397911.2015.1041047.
- [4] W. M. Chávez-Montes, G. González-Sánchez, E. I. López-Martínez, P. de Lira-Gómez, L. Ballinas-Casarrubias, and S. Flores-Gallardo. Effect of artificial weathering on pla/nanocomposite molecular weight distribution. *Polymers*, 7(4):760–776, 2015. doi:10.3390/polym7040760.
- [5] C. A. Enríquez-Núñez, A. A. Camacho-Dávila, V. H. Ramos-Sánchez, G. Zaragoza-Galán, L. Ballinas-Casarrubias, and D. Chávez-Flores. Chemoenzymatic kinetic resolution of (R)-malathion in aqueous media. *Chemistry Central Journal*, 9(1):1–9, 2015. doi:10.1186/s13065-015-0119-y.
- [6] G. López-Frías, A. A. Camacho-Dávila, D. Chávez-Flores, G. Zaragoza-Galán, and V. H. Ramos-Sánchez. Synthesis of a functionalized benzofuran as a synthon for salvianolic acid c analogues as potential ldl antioxidants. *Molecules*, 20(5):8654–8665, 2015. doi:10.3390/molecules20058654.
- [7] J. Ortíz-Palacios, E. Rodríguez-Alba, G. Zaragoza-Galán, J. R. León-Carmona, A. Martínez, and E. Rivera. Incorporation of novel azobenzene dyes bearing oligo (ethylene glycol) spacers into first generation dendrimers. *Dyes and Pigments*, 116:1–12, 2015. doi:10.1016/j.dyepig.2014.11.023.
- [8] V. H. Ramos-Sanchez, R. Jeans, R. H. Elder, G. Zaragoza-Galán, and R. Devonshire. A unique approach to the vapour phase of the hix feed of the sulfur iodine thermochemical cycle: A raman spectroscopy study. *International Journal of Hydrogen Energy*, 40(4):1657–1664, 2015. doi:10.1016/j.ijhydene.2014.11.116.
- [9] N. A. Sánchez-Bojorge, L. M. Rodríguez-Valdez, I. García-Cruz, and N. Flores-Holguín. Unexpected electron acceptor behavior of the 1, 3, 4-thiadiazole oligomer, a dft study. *Computational and Theoretical Chemistry*, 1068:109–116, 2015. doi:10.1016/j.comptc.2015.06.024.

- [10] N. A. Sánchez-Bojorge, L. M. Rodríguez-Valdez, D. Glossman-Mitnik, and N. Flores-Holguín. Theoretical calculation of the maximum absorption wavelength for cyanidin molecules with several methodologies. *Computational and Theoretical Chemistry*, 1067:129–134, 2015. doi:10.1016/j.comptc.2015.06.002.